bodytone


BOLDLINE



CHEST INCLINED

INDOOR

MODEL SRO4-E



DIMENSIONS

 $191 \times 107 \times 175$ cm

NET WEIGHT

151 kg

WORK AREA

Upper frame.

HANDLES

Anodised ALUMINIUM, knurled for better grip.

LOAD CAPACITY

310 mm supports for 6 Bodytone discs of 20 kg per arm (up to 240 kg for training).

MATERIALS AND FINISHES

20 mm thick rubber finish on disc holders. 50 mm thick rubber finishes to support moving parts.

BEARINGS

SKF double tapered roller bearings, housed in a closed, anti-backlash bushing, ensuring a constant direction of movement.

ADJUSTMENT LEVERS

Pop-pin adjustable seat.

Adjustment system by means of a single bolt, made of techno-polymer with a breakage rate of 750 kg.

STRUCTURE

Steel tubing 110 x 52 mm, 3 mm thick. Welded in accordance with UNE 10219 regulations, quality S-275-JOH. Enriched and optimised to maintain a constant section in the bending process, thus avoiding sensitive areas and minimising the breakage rate. Cold bending process, by means of a 4-roller system, avoiding any deformation in the process and maintaining the physical characteristics throughout the piece. Closed welding perimeter in the structural points and joint plates.

PAINTING PROCESS

3 coats of paint.

Steel pickled and stabilised by total immersion of the parts in different degreasing solutions to guarantee a perfect and complete cleaning of the base material.

perfect and complete cleaning of the base material.

Anti-rust primer to guarantee adequate insulation from internal oxidation and good paint adhesion. 2 final coats of polyester epoxy powder paint, dried at 240oC.



CHEST INCLINEDINDOOR Highlights



SEAT ADJUSTABLE TO VARIOUS HEIGHTS



STURDY AND STRONG STEEL STRUCTURE

